



*Tooling solutions for the power utility industry.*



**Do Not Cut Steel  
or Materials  
Containing Steel**

**Kit Includes:**  
Battery Powered Tool  
Carrying Strap  
Carrying Case  
Batteries  
AC Charger

## **REL-1500 - ROBO CUTTER**

### **12 Volt - Battery Powered Cable Cutter**

Rechargeable battery operated cutter for hard drawn Copper up to 750 MCM and Aluminum up to 1,500 MCM. Compact design fits into tight areas and cuts clean with minimal cable distortion.

#### **Features:**

- \* **The powerful 12-V gear reduction motor activates with just the squeeze of the trigger.**
- \* **Operates in forward or reverse.**
- \* **Built-in circuit breaker will momentarily disable the tool if accidentally overloaded.**
- \* **H/D movable blade will pull through even the toughest copper.**

#### **Specifications:**

<b>Weight:</b>	6 lbs. w/ Battery
<b>Length:</b>	14.5"
<b>Cutting Capacities:</b>	
<b>Copper</b>	750 MCM
<b>Aluminum</b>	1,500 MCM



*Tooling solutions for the power utility industry.*

## REC-50U ROBO\* SLICE™

### 14.4 Volt - Battery Powered Cable Cutter

Designed with a powerful gear reduction motor that pulls a moveable blade through the toughest URD cables in a limited amount of space. Cuts are clean with minimal cable distortion. The blade has wide gear teeth for extra power and full cutting traction. Impact resistant springs are attached on both ends of the blade to reduce damage if impact occurs.

The ROBO\*SLICE comfortably fits into the lineman's gloved hand. Repetitive ratcheting movement is eliminated. Just a squeeze of the rocker arm trigger is all it takes to make a cut. As a result, the risk of sprains, strains, and lost time due to muscle related injuries can be significantly reduced.



**DO NOT CUT  
ACSR**

#### Specifications:

**Weight:** 6 lbs. w/ Battery

**Size:** 14.5" x 4" x 4.5"

#### Kit Includes:

- 1 Battery Powered Tool
- 1 Carrying Case
- 2 BP-70R Batteries
- 1 CH-3TR 15 Min. AC Charger

Cutting Estimates:	BP-70R	BP250R
<b>1,000 MCM</b>	<b>35</b>	<b>105</b>
<b>2" Aluminum</b> (3,000 MCM Bare)	<b>30</b>	<b>90</b>

## REC-54 ROBO\* SLICE™

### Battery Powered Ratchet-Type Cutter

Heavy Duty cable cutter. For overhead work, the linemen will appreciate the ease of one-hand operation. The powerful gear drives allow the operator to cut through the toughest cables with just the pull of the trigger. It features a lock-out switch for reversing the blade with the same hands.

**\*This tool will not cut 477 Pelican, 4/0 Penguin, or 3/0 Pigeon ACSR cables.**



Cutting Estimates:	BP-70I	BP-250RI
<b>750 MCM CU</b>	<b>35</b>	<b>105</b>
<b>ACSR 477*</b>	<b>50</b>	<b>150</b>

#### Specifications:

**Weight:** 7.2 lbs. w/ Battery

**Length:** 16"

#### Cutting Capacities:

**Copper** 750 MCM

**Aluminum** 2-1/8" O.D. (3,000 MCM Bare)

**ACSR** 477

#### Kit Includes:

- 1 Battery Powered Tool
- 1 Carrying Case
- 2 BP-70R Batteries
- 1 CH-3TR 15 Min. AC Charger

**TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193**



*Tooling solutions for the power utility industry.*

## REC-54AC ROBO SLICE™

### Battery Powered Ratchet-Type Cutter

The REC-54AC was designed to cut aluminum and Stranded or Flex copper cables. The jaws will accept a maximum of 1,000 MCM copper and aluminum up to 2-1/8" O.D. The operation of this tool is the same as the REC-54, but it has sharper blades for cutting only non-ferrous materials.

Do not cut steel with this model, or blade damage will occur.

Cutting Estimates:	BP-70I	BP-250RI
750 MCM CU	45	135
2-1/8" AL	30	90

#### Specifications:

**Weight:** 7.2 lbs. w/ Battery  
**Length:** 16"  
**Cutting Capacities:**  
**Copper** 1,000 MCM  
**Aluminum** 2-1/8" O.D. (3,000 MCM Bare)  
**ACSR** DO NOT CUT



**DO NOT CUT  
STEEL**

#### Kit Includes:

- 1 Battery Powered Tool
- 1 Carrying Case
- 2 BP-70R Batteries
- 1 CH-3TR 15 Min. AC Charger

## REC-S85CCP ROBO SLICE™

### Battery Powered Ratchet-Type Cutter

#### 3.35" Jaw Opening

Designed to cleanly cut telecommunication switchboard cable. It has one finger trigger action and allows for one man crew operation.

The gear driven blade has both forward and reverse action with one hand operation for ease of use and maneuverability. It is a heavy duty cable cutter for communication cables up to 3-1/4" O.D. A gear reduction motor pulls the moveable blade through communication cable to provide a cut with minimal cable distortion.

#### Specifications:

**Weight:** 6 lbs. w/ Battery  
**Size:** 4" x 14.5" x 13"  
**Cutting Capacities:**  
**Telecomm. Cable Only!**

Cutting Estimates:	BP-70I	BP-250RI
3" Telecomm. Cable	50	150



**DO NOT CUT  
LEAD SHEATHED  
CABLE**

#### Kit Includes:

- 1 Battery Powered Tool
- 1 Carrying Case
- 2 BP-70R Batteries
- 1 CH-3TR 15 Min. AC Charger

**TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193**



*Tooling solutions for the power utility industry.*



**Kit Includes:**

- 1 Battery Powered Tool
- 1 Carrying Strap
- 1 Carrying Case
- 2 BP-70R Batteries
- 1 CH-3TR 15 Min. AC Charger

Crimping Est.	BP-70I	BP-250RI
500 MCM AL	75	225
500 MCM CU	60	180
750 MCM CU	50	150

## REC-30Y ROBO\* CUT™

### Battery Powered Scissor-Type Cutter 6 Ton, 1-3/16" Jaw Opening

Designed to make a clean cut with a minimal amount of cable distortion, allowing for easy connector installation on cables. The head can be rotated 180° for greater maneuverability in working quarters. The keeper plate prevents jaws from spreading apart when cutting ACSR.

**This tool will not cut 4/0 Penguin or 3/0 Pigeon ACSR cables.**

**Specification:**

**Weight:** 10.5 lbs. w/ Battery

**Size:** 15" x 14" x 2.5"

**Cutting Capacities:**

**ACSR** 336 MCM

(Avoid extra thick center strands)

**Copper** 750 MCM

**Aluminum** 1.18" O.D. (1,000 MCM Bare)

**Guy Wire** 3/8" Max.

**Bar** DO NOT CUT



**Kit Includes:**

- 1 Battery Powered Tool
- 1 Carrying Strap
- 1 Carrying Case
- 2 BP-70R Batteries
- 1 CH-3TR 15 Min. AC Charger

Crimping Est.	BP-70I	BP-250RI
500 MCM AL	75	225
500 MCM CU	60	180
750 MCM CU	50	150

## REC - 34YC ROBO CUT™

### Battery Powered Scissor-Type Cutter 6Ton, 1-3/8" Jaw Opening

This tool is similar to the REC-30Y, but has a slightly larger jaw opening without a "keeper" guard. Its sharp blades are rated for copper and aluminum cables only.

The open "C" type jaw is very convenient for the operator when reaching out to cut cable. Cuts are slightly distorted but cables can still be easily sleeved. Once severed, the cutter blades can be opened by the push of the release trigger located below the activation trigger.

**Specifications:**

**Weight:** 10.5 lbs. w/ Battery

**Size:** 15" x 14" x 2.5"

**Cutting Capacities:**

**Copper** 800 MCM

**Aluminum** 1.4" O.D. (1,400 MCM Bare)

**ACSR** DO NOT CUT STEEL

**TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193**



*Tooling solutions for the power utility industry.*

## REC-60YC ROBO CUT™

### Battery Powered Scissor -Type Cutter 6 Ton, 2-1/2" Jaw Opening

The extra wide jaws make cutting the larger diameter underground cables easier.

The maximum size copper cable that can be cut is 500 MCM. Larger cables will simply cause the cutter to bypass, which is a built-in overload safety device to prevent damage to the tool.

The large jaws can be placed over cables that lie flat on the ground and the cables will be scooped up as the cutting jaws are closed. All cuts are clean so that there is minimal cable distortion.

#### Specifications:

**Weight:** 10.5 lbs. w/ Battery

**Size:** 15" x 14" x 2.5"

#### Cutting Capacities:

**AL** 2.5" max O.D. (3,500 MCM Bare)

**CU** 500 MCM

**DO NOT CUT STEEL**



#### Kit Includes:

1 Battery Powered Tool

1 Carrying Strap

1 Carrying Case

2 BP-70R Batteries

1 CH-3TR 15 Min. AC Charger

Crimping Est.	BP-70I	BP-250RI
500 MCM AL	75	225
500 MCM CU	60	180

## REC-S20 ROBO CUT™

### 6.6 Ton Battery Powered Cutter

Designed to cut the toughest steel used in construction today. It can replace an entire tool kit, including several conventional bolt cutters, backsaws, acetylene torches, and cable cutters.

The specially designed flip-top latch and rotating head provide ease of use and maneuverability in tight working quarters.

The unit has an overload bypass which will "kick out" when tool is attempting to cut cables beyond its capacities.



**DO NOT CUT  
EHS GUY WIRE OR  
CASE HARDENED  
STEEL RODS.**

#### Specifications:

**Weight:** 9 lbs. w/ Battery

**Size:** 11" x 13" x 2.5"

#### Cutting Capacities:

**Wire Rope** 5/8"

**Rebar (Sc 40)** 1/2"

**Rebar (Sc 60)** 3/8"

**Ground Rod** 1/2"

**ACSR Cable** 477 MCM

**Guy Wire** 7/16"

#### Kit Includes:

1 Battery Powered Tool

1 Carrying Strap

1 Carrying Case

2 BP-70R Batteries

1 CH-3TR 15 Min. AC Charger

Crimping Est.	BP-70I	BP-250RI
336 MCM ACSR	50	150
5/8" Wire Rope	50	150
1/2" Rebar	35	100
1/2" Grnd. Rod	35	100
3/8" Guy Wire	25	75

**TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193**



*Tooling solutions for the power utility industry.*



**DO NOT CUT  
795 DRAKE  
ACSR CABLE**

**Specifications:**

**Length** 17.0"  
**Height** 12.0"  
**Weight** 10 lbs.

**Kit Includes:**

- 1 Battery Powered Tool
- 1 Carrying Strap
- 1 Carrying Case
- 2 BP-70R Batteries
- 1 CH-3TR 15 Min. AC Charger

### REC-S40 ROBO\* CUT™ 6 Ton Battery Powered Cutter

Our ROBO\* cut is ideal for arial bucket work and trench operations.

This cutter is made for one handed operation. Simply remove the latch pin, place over cable, reinsert pin, and cut.

A built in bypass will pop off if the material is beyond the cutter's capacity.

It is not recommended to cut hardened steel because blades will become damaged.

The REC-S40 blades are interchangeable with our standard hand operated tool.

**Cutting Capacities:**

<b>Soft Steel Bolts</b>	5/8"
<b>Rebar &amp; Grnd. Rod</b>	5/8"
<b>ACSR</b>	795
<b>Standard Guy Wire</b>	5/8"
<b>Wire Rope</b>	3/4"
<b>EHS Guy Wire</b>	<b>DO NOT CUT</b>



**Specifications:**

**Length** 15.75"  
**Height** 14.25"  
**Weight** 10 lbs.

**Kit Includes:**

- 1 Battery Powered Tool
- 1 Carrying Case
- 2 Batteries
- Choice of a 120 Volt, 230 Volt, or 12 Volt Battery Charger.

### THE GATOR™ LINE 5.5 Ton Battery Powered Cutter

Lightweight and easy to use.

Approximately 120 cuts per battery charge.

Cuts in 22 seconds.

Jaws open quickly to save time between cuts.

Jaws are specially hardened and precision ground to hold sharpness.

Cut up to 1.75" diameter Al or Cu Cable.

Cutting head rotates 330° for cutting cables in tight locations.

Pistol grip provides excellent control, comfort, and balance.

**ESG50GL11 - Battery Powered Cable Cutter**  
120 Volt Charger

**ESG50GL22 - Battery Powered Cable Cutter**  
230 Volt Charger

**ESG50GL12 - Battery Powered Cable Cutter**  
12 Volt Charger