





Tooling solutions for the power utility industry.



Two-Color Gloves
Visual inspection is easy with contrasting colors.



Bell Cuff



CLASS 00 Lightweight



A WHOLE NEW CLASS OF GLOVE!
Type I (Natural Rubber)
and Type II (Salcor ozone resistant)
Electrical Insulating Gloves

Consult your Reliable Representative for more information on this new line.

RUBBER INSULATING GLOVES

Low Voltage Gloves (Class 0) - lightweight and flexible, yet designed to give maximum protection to workers who come in contact with energized equipment and circuits of 1,000 volts (1 kV) or less. The extra flexibility of these gloves allows the user to handle small tools and parts easily. Low Voltage Rubber Insulating Gloves are available in Yellow (Y), Red (R) or Black (B) and in the standard specification length of 11" and 14".

Primary Voltage Rubber Insulating Gloves (Class 1-4) Available in O.A.L. specification lengths of 14", 16", and 18", all in the **Flair cuff** design (FC). The 18" glove is supplied with a **Contour cuff** design (CC). **Straight cuff** design is available. **Bell cuff** style (BC) provides more room for Rubber Insulating Sleeves and heavy winter clothing, and are available on all standard lengths and colors.

To get the utmost protection and life from Rubber Insulating gloves, leather protectors should always be worn over the rubber gloves while in use. Gloves should always be visually inspected before each use and stored in glove bags when not in use. (Always follow your company's work rules & methods to select the proper rubber insulating glove for the job)

GLOVE SELECTION

Voltage Rating: Five classes that conform to current ASTM D120 specifications. The proof test voltages of the gloves are NOT the in-service field use voltage.

Length: Proper glove length is determined by the amount of forearm protection desired and whether Rubber Insulating Sleeves are worn. The lower bead roll, on the thumb side of the contour cuff design on 18" gloves permits the arm to bend more freely at the elbow without binding or pushing the glove off the hand.

Sizes: Full and half sizes 8 through 12. Proper sizing is important. Glove fit may cause physical discomfort, fatigue, and reduce flexibility. To determine the proper size, measure the distance around the palm of the hand between the thumb and forefinger and add one inch. Allow extra room if glove liners are worn.

RATING:

5 = Class 0 (1kV) 10 = Class 1 (10kV) 20 = Class 2 (20kV)
30 = Class 3 (30 kV) 40 = Class 4 (40 kV)

LENGTH:

14 = 14" OAL, 16 = 16" OAL, 18 = 18" OAL, 11 = 11" OAL

COLOR:

B = Black YB = Yellow/Black RB = Red/Black
Y = Yellow (Class 0 Only) R = Red (Class 0 Only)

CUFF STYLE:

SC=Straight Cuff, FC=Flair, CC=Contour, BC=Bell

SIZE:

8-12 full and half sizes

eg: Class 2, 16" OAL, Yellow Black, Size 10 = 20-16 YB sz 10

TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193



Tooling solutions for the power utility industry.

KUNZ - LEATHER PROTECTORS

The Kunz Glove Company has developed a protector that increases hand mobility, and reduces hand stress, discomfort, and fatigue while maintaining the required mechanical protection and fit for maximum life and safety. Re-engineered from our top-quality protector, the “free thumb” design is cut to allow more stretch in the palm and thumb of the glove. Less effort is required to fully open the hand. The “free thumb” design is another feature that distinguishes Kunz as the industry leader.

LOW-VOLTAGE PROTECTORS

Specially designed and manufactured to current ASTM F696 specifications as mechanical protection for 11” or 14” low voltage Class “O” and “OO” rubber insulating gloves as described as ASTM D120. These protectors allow the flexibility and dexterity required for secondary work operations.

All are made from pearl-colored goatskin grain leather and are available with a shirred elastic back or adjustable pull strap, with sewn inseam in the “Gunn” cut pattern.

COWHIDE PROTECTORS

Our most popular and most durable. Specially tanned 2.75 oz. to 3.5 oz. weight grain leather is uniform, soft, and pliable. Flexible and long-wearing qualities make these ideal for heavy wear. Our cream-colored cowhide provides a traditional feel.

BUCKSKIN PROTECTORS

Made from elk or deerskin, buckskin is often preferred for its more supple feel and durability. Better for cold and/or wet weather conditions. Although lighter in weight, these protectors offer many of the qualities which made our Kunz buckskin work gloves famous.

**Cowhide
#1050**



Buckskin #1002

| Class | Elastic Back | Pull Strap | OAL |
|-------|--------------|------------|-----|
| O | 999 | 999S | 10” |
| OO | 910 | 910S | 10” |

Sizes 7-12 including half sizes.



**#999
Goatskin
L/V Protector**

| O.A.L.* | 11” | 12” | 13” | 14” | 15” | 16” | 16” Contour |
|---------------|--------|--------|--------|--------|--------|--------|-------------|
| CREAM COWHIDE | 1050-2 | 1050-3 | 1050-4 | 1050-5 | 1050-6 | 1050-7 | 1050-7CC |
| BUCKSKIN | 1002-2 | 1002-3 | 1002-4 | 1002-5 | 1002-6 | 1002-7 | 1002-7CC |

*Consult ASTM F496 Table 4 for minimum distances between gauntlet and cuff requirements. Available in sizes 7 through 12 including half sizes.

174 - 6.5” BUCKSKIN GAUNTLET - WORK GLOVE

Our most popular style for lineworkers. A reinforced thumb strap makes this design the most durable. This split leather glove has a 6.5” fabric cuff for arm protection, and an elastic back for comfort and to prevent slipping. For extra HD applications, heavy (5-5.5 oz.) buckskin leather is offered. (# 175)

Many additional styles are available. Consult your Reliable representative for more information.



**#174
Buckskin
Gauntlet**

TO ORDER CALL: 800-966-3530 OR FAX: 215-357-9193